
INSTASWAPMEASURING







InstaSwap is an innovative privacy curtain system designed to improve hygiene and infection control in healthcare environments.



Measuring up for your InstaSwap curtains is very simple. All you need to do is supply some basic measurements as follows.

STEP 1

Measure from the back wall to the front of the curtain track. This is Measurement A-the side panels.

STEP 2

Measure the width of the front panel. Facing outward as if you were the patient, begin at the solid wall or the adjacent curtain track on your right, and measuring across to the next curtain track on your left. This is Measurement B-the front panel.

For an L-shaped bay, you will need to add one Measurement A to one Measurement B to give you the overall length of InstaSwap curtain panel required.

For a U-shaped patient bay with two sides, you will need to double Measurement A for the two side panels, then add Measurement B to give the overall length. For a straight patient bay - for example the last bay in a row, or where the bay has solid walls either side, you will only need Measurement B.

STEP 3

Measure from the ceiling to the floor - this is Measurement C. Remember that ceiling heights can vary from room to room, even in the same facility. For suspended track systems, measure from the top of the track to the floor.

PLEASE NOTE!

- You do not need to measure the 'bend' in the curtain track - this will be accommodated in the curtain panel.
- You do not need to deduct the thickness of the curtain track from Measurement C; this will be accounted for.

A	
В	
С	

INSTASWAP Inventory Checklist



Name of Hospital:	
Area or Floor:	
Contact information:	

COMPLETED BY CLIENT:					COMPLETED BY BELROC				
Rm or Bed #	Ceiling Height	Track Length	Stationary Lift	XY Lift	Mesh Length	Mesh Height	# Panels	Panel Size	# Instagap